

ROSA BUS

SCHOOL MODEL • AUTO

2021 MODEL
ADVANCED
SAFETY
SYSTEMS

EURO 6
EMISSIONS



Power/Torque:
129kW / 430Nm



Passengers:
25



Body Length:
7.7m

- Best-selling bus in its class
- Advanced safety systems
- Seat belt options on all seats
- Euro 6
- Passenger car licence model

SPECIFICATIONS - ROSA SCHOOL BUS

MODEL

School Bus 25 Seat Duonic Auto BE741JRMBFAB

LENGTH (m)

7.7

CONFIGURATION

Low Back Vinyl Bench Seats

ENGINE

Engine Version	FUSO 4P10-T6 Diesel
Configuration	4 Cyl. In-line DOHC, 4-Valve
Type	Variable Geometry Turbo Charged Air to Air Intercooled
Displacement	3.0 litre (2,998cc)
Power (DIN)	129kW @ 2,860~3,500 rpm
Torque (DIN)	430Nm @ 1,600~2,860 rpm
Maximum Engine Speed (rpm)	4,100
Compression Ratio	17.5:1
Cooling System / Oil Cooler	Water cooled with vicious fan, 14.0L capacity. Plate type engine oil cooler
Air Cleaner	Dry Paper Element with restrictor indicator. Forward Mounted Intake System
Emission Control	Diesel Particulate Filter (DPF) Exhaust Dash Display DPF Status 0~9 (Empty~Full) Parked Regeneration possible from 7~9 Selective Catalytic Reduction (SCR) after-treatment system (BlueTec)
Emission Level	Euro 6 (ADR 80/03)

FUEL

Injection System	Bosch Common Rail Direct Injection
Tank Type	Rectangular Steel Tank with Locking Cap
Fuel Capacity (L)	100
Filtration	Filter with Water Separator
AdBlue Exhaust Fluid Capacity (L)	12
Speed Limiter	100km/hr

ELECTRICAL

Voltage	12V / 24V with Battery Equalizer
Alternator Capacity	24V-90 amp
Battery Capacity	2x12V, 70Ah/5hr with Battery Equalizer
Headlamps	LED

TRANSMISSION

Version	FUSO DUONIC MO38S6
Type / Speeds	6 Speed Automated Manual with dual clutch (Wet multi plate)
Features	Virtually Instant Gear Changes In-Dash Gear Lever with Park Brake Position and Manual Mode
Ratios	1st: 5.397 2nd: 3.788 3rd: 2.310 4th: 1.474 5th: 1.000 6th: 0.701 Rev. 5.397
Park Interlock	Ignition Key (On) and Foot Brake Activated

FRONT SUSPENSION

Type	Independent Double Wishbone with Coil springs, Stabiliser Bar and Shock Absorbers
------	---

REAR AXLE

Type	Full Floating Hypoid
Capacity (kg)	3,800
Ratio	5.285:1

REAR SUSPENSION

Spring suspension	Long Taper Leaf with Stabiliser Bar and Shock Absorbers
-------------------	---

STEERING

Type	Power steering with tilt / telescopic adjustable steering wheel
------	---

BRAKES

Type	Hydraulic dual circuit with Front & Rear Twin Caliper Ventilated Disc brakes
Features	ABS plus EBD (Electronic Brake Distribution) Active Emergency Braking System (AEBS) Electronic Stability Program (ESP) Brake Priority System
Park Brake	On rear of transmission
Auxiliary	Exhaust brake

WHEELS AND TYRES

Single front, Dual rear	Silver steel wheels
Tyres	205/85R16
Spare Tyre	Provided

CHASSIS

Type	Parallel Tapered Channel with Cross Members
------	---

INSTRUMENTS

Gauges	Speedometer with LCD Odometer and Dual Tripmeter; Tachometer (Yellow Zone indicates safe exhaust operating zone); Fuel Level; Water Temperature
Warning Lamps	EBS; LDWS; ESP; ESP Off; Turn Signal; Headlamps; High Beam; Hill Holder; Auxiliary Brake; Parking Brake; Oil Pressure; Battery Charging; Vacuum Pressure; DPF Regeneration; DPF Fill Level; Adblue Fill Level Passenger door open; Rear Emergency Door Open

EXTERIOR

Windscreen	Laminated Tinted with Darker Upper Band
Side Windows	Bonded with heat absorbing dark grey glass
Body Colour	Rising White (W48) with Colour Code Bumpers Other colours available to special order, Black Side Window Sash
Towing Hook	Front

INTERIOR

Lighting	Access Step Light & LED Interior Lights
Floor	Heavy Duty Vinyl Floor Covering
Interior	Semi-trimmed
Modesty Panel	LH front passenger seat

SPECIFICATIONS - ROSA SCHOOL BUS

SAFETY (ACTIVE)

Features	AEBS - Advanced Emergency Braking System LWDS - Lane Departure Warning System ESP - Electronic Stability Program ABS - Anti-lock Braking System ASR - Anti Slip Regulator HSA- Hill Start Assist LED Headlamps with height adjust LED Fog lamps
Reverse Warning	Buzzer
Passenger Access Door	Accelerator Interlock and Pre-Warning Buzzer when door open

SAFETY (PASSIVE)

Airbags	Driver and front seat passenger airbag
Emergency Exits	4 Exits : 1 LH and 2 RH Windows with Emergency Hammers and Rear Emergency Door, outward opening
Front passenger door	Emergency opening control from outside
Rear door	Rear door access from inside or outside
Rear Door Locking	Automatic when Ignition Key in Off Position
Seat Belts	Driver and front passenger 3 Point ELR, Optional: Passenger seats 2 point ELR

MULTI MEDIA PACKAGE

7" Multi Media Touch screen Display: AM/FM/DAB + USB + AUX, Apple Carplay / Android Auto, Wi-Fi enabled for Internet Radio, Bluetooth, 32GB Storage Capacity; Auxiliary input for PA system, HD Reverse Camera included†. 4 speakers.

DRIVER COMFORT AND FEATURES

Driver's Seat	Low Back cloth covered with head rest and slide adjustment; Adjustable Height & Back Angle
Visibility Mirrors	LH & RH External Rear View Additional Front Left Clearance Rear Mounted Reversing on rear door Internal Rear Vision
General	Driver's Power Window; Cup Holders; Sun Visors for Driver. Front Passenger on School; Central Locking; Accessory Power Outlet 12v

AIR CONDITIONING (SEPARATE UNIT)

Control	Manual a/con
Capacity	12.4 kw (JIS)
Distribution	Integrated Roof Ducts located throughout Cab
Heaters	Forward Cabin plus Passenger Units throughout Cab
Additional ventilation	Fresh Air Duct on Roof at Rear of Cab

PASSENGER ACCESS AND SEATING

Seating capacity	24 passenger and driver
Passenger Door	Bi-fold vacuum automatic with warning buzzer and dash interlock
Passenger Seats	Fixed Low Back, LH single, RH Bench, Blue Vinyl trim
Grip Handles	On Rear Seat (Except above Wheel Arch)

OPTIONS

Additional Multimedia Display cameras (up to 4); In built GPS navigation; Reversing Sensors; Tyre Pressure Monitoring System

SERVICE INTERVALS

30,000km full service / 15,000km safety inspection
30,000km full service intervals, depending on application/use.
15,000km safety inspection, with greasing, required to maintain warranty cover and ensure optimum performance.

WARRANTY

5 years / 200,000km Simply have your vehicle serviced at an authorised FUSO Service Centre, at the recommended servicing intervals, and you are covered by an additional 2 year / 100,000km FUSO warranty on top of the first 3 years / 100,000km. That's a total of 5 years / 200,000km cover. Refer to terms and conditions in the FUSO warranty booklet for full details

PERFORMANCE

Turning Circle (kerb to kerb - metres)	14.2
Road Speed (km/h) at Max Engine Speed	100km/hr Speed Limiter

DIMENSIONS

Wheelbase	4,550
Overall Length	7,730
Overall Width	2,070
Overall Height	2,755
Front / Rear Track	1,655 / 1,495
Body Inside	Length: 7,030 Width: 1,845 Height: 1,860


KERB WEIGHTS AND MAX AXLE LOADS (kg)

Model		Vehicle Ratings**			Max Axle Loadings**		Kerb Weights*
		GVM	Towing Capacity (kg) Unbraked	Braked	Front	Rear	
School Bus 25 Seat Duonic Auto	BE741JRMBFAB	6,285	715	1615	2,500	3,800	3,900
School Bus Duonic Auto (restricted seating capacity with 5995kg GVM)	BE741JRMBFAB(D)	5,995	715	1615	2,500	3,800	3,900

* Weights (est.) includes 10L fuel and spare wheel and are subject to 2.5% variation (+/-)

** Vehicle ratings and max axle loadings may be limited by local regulations.

SPECIFICATIONS - ROSA SCHOOL BUS



A policy of continual improvement means that specifications detailed in this brochure are subject to change without notice. Contact your authorised FUSO dealer to confirm current specifications. FUSO is a registered trademark of Mitsubishi Fuso Truck & Bus Corporation. Copyright © Fuso NZ (2021)